
















Prijzlijst 1 januari 2023 (ovb) - Endusol b.v.

| Art. Nr. | Type / Description | Label | € / pcs. ex btw | Symbol- picture |
|---|--------------------|-------|-----------------|---|
| Floor standing tank; Type HT ERM / 120-500 litre (10 bar) | | | | |
| A28813 | HT 120 ER | B | € 1.105,59 |  |
| A22290 | HT 160 ERM | B | € 1.048,99 | |
| A23430 | HT 200 ERM | B | € 1.109,54 | |
| A22773 | HT 300 ERM | C | € 1.127,96 | |
| A24290 | HT 400 ERM | C | € 1.438,58 | |
| A24755 | HT 500 ERM | C | € 1.608,37 | |
| Solar storage tank; Type HT ERMR / 200 - 500 litre (10 bar) | | | | |
| A23320 | HT 200 ERMR | B | € 1.250,37 |  |
| A23919 | HT 300 ERMR | C | € 1.391,20 | |
| A24482 | HT 400 ERMR | C | € 1.596,52 | |
| A25927 | HT 500 ERMR | C | € 1.693,92 | |
| High performance floor - standing heat exchanger tank; Type HR / 160-500 litre (10 bar) | | | | |
| A22119 | HR 160 | B | € 1.264,84 |  |
| A22326 | HR 200 | B | € 1.345,13 | |
| A22530 | HR 300 | C | € 1.593,89 | |
| A24119 | HR 400 | C | € 1.971,63 | |
| A24528 | HR 500 | C | € 2.144,05 | |
| High - performance heat pump tanks; Type HRS / 300-500 litre (10 bar) | | | | |
| A22329 | HRS 200 | B | € 1.736,03 |  |
| A22533 | HRS 300 | B | € 2.183,53 | |
| A24121 | HRS 400 | B | € 2.499,42 | |
| A24532 | HRS 500 | B | € 2.727,11 | |
| High performance floor-standing heat exchanger tank (10 bar) | | | | |
| A31324 | HRS 750 | C | € 3.831,39 |  |
| A31526 | HRS 900 | C | € 4.600,03 | |
| Floor-standing boiler VACUTHERM; Type VT-N 800-1000 FRM / FRMR (operating pressure 6 bar) | | | | |
| A31317 | VT-N 800 FRM | C | € 2.894,27 |  |
| A31517 | VT-N 1000 FRM | C | € 3.343,08 | |
| A31315 | VT-N 800 FRMR | C | € 3.086,43 | |
| A31515 | VT-N 1000 FRMR | C | € 3.586,58 | |
| Floor standing boiler VACUTHERM Super, Type VT-S 800-1000 FRM / FRMR (operating pressure 10 bar) | | | | |
| Type VT FFM: the higher flange is closed with a blind flange. | | | | |
| A30311 | VT-S 800 FFM | C | € 2.967,97 |  |
| A30511 | VT-S 1000 FFM | C | € 3.454,96 | |
| A31322 | VT-S 800 FRM | C | € 3.215,42 | |
| A31522 | VT-S 1000 FRM | C | € 3.810,33 | |
| A31323 | VT-S 800 FRMR | C | € 3.419,42 | |
| A31523 | VT-S 1000 FRMR | C | € 4.065,66 | |
| Trapezoidal heat exchanger horizontal tank; Type LSP / 150-200 litre (10 bar) | | | | |
| A27111 | LSP 150 | B | € 2.078,24 |  |
| A27465 | LSP 200 | B | € 2.229,60 | |
| A27724 | LSP 350 | B | € 4.234,13 | |
| A27828 | LSP 500 | B | € 4.519,74 | |

| Buffer tank; Type PSM, PSF, PSR, PSRR (4 bar) | | | | |
|---|--|---|------------|---|
| Blind flange, flange seal,- and screws can be ordered separately as accessories for PSF types. | | | | |
| A34111 | PSM 200 / 6/4" | B | € 1.142,44 |  |
| A34112 | PSM 300 / 6/4" | B | € 1.217,46 | |
| A34146 | PSM 500 / 6/4" | C | € 1.262,21 | |
| A34316 | PSM 800 / 6/4" | C | € 1.458,32 | |
| A34345 | PSM 825 / 6/4" | C | € 1.542,56 | |
| A34530 | PSM 1000 / 6/4" | C | € 1.595,20 | |
| A34828 | PSM 1500 / 6/4" | C | € 2.301,99 | |
| A34928 | PSM 2000 / 6/4" | C | € 3.016,67 | |
| A34904 | PSM 3000 / 2" | - | € 4.897,49 | |
| A34921 | PSM 4000 / 2" | - | € 6.655,90 | |
| A34905 | PSM 5000 / 2" | - | € 7.781,23 | |
| A34148 | PSR 500 / 6/4" | C | € 1.524,13 | |
| A34318 | PSR 800 / 6/4" | C | € 1.763,67 | |
| A34532 | PSR 1000 / 6/4" | C | € 1.958,47 | |
| A34829 | PSR 1500 / 6/4" | C | € 2.737,64 | |
| A34929 | PSR 2000 / 6/4" | C | € 3.541,83 | |
| A34909 | PSR 3000 / 2" | - | € 5.244,96 | |
| A34923 | PSR 5000 / 2" | - | € 8.168,18 |  |
| A34342 | PSRR 800 / 6/4" | C | € 2.019,01 | |
| A34554 | PSRR 1000 / 6/4" | C | € 2.263,82 | |
| A34837 | PSRR 1500 / 6/4" | C | € 3.061,42 | |
| A34935 | PSRR 2000 / 6/4" | C | € 3.895,88 | |
| Stratified buffer tank; Type PZ, PZR, PZRR (4 bar) | | | | |
| A34168 | PZ 500 | C | € 1.433,31 |  |
| A34339 | PZ 800 | C | € 1.605,73 | |
| A34551 | PZ 1000 | C | € 1.761,04 | |
| A34834 | PZ 1500 | C | € 2.473,09 | |
| A34169 | PZR 500 | C | € 1.632,06 |  |
| A34340 | PZR 800 | C | € 1.892,66 | |
| A34552 | PZR 1000 | C | € 2.097,98 | |
| A34835 | PZR 1500 | C | € 2.869,26 |  |
| A34170 | PZRR 500 | C | € 1.963,73 | |
| A34341 | PZRR 800 | C | € 2.290,14 | |
| A34553 | PZRR 1000 | C | € 2.565,23 | |
| A34836 | PZRR 1500 | C | € 3.374,67 | |
| Hot buffer tank / cold buffer tank; Type WPPS (6 bar) | | | | |
| A34161 | WPPS 130 | B | € 1.056,89 |  |
| A34195 | WPPS 200 | B | € 1.070,05 | |
| A34460 | WPPS 300 | B | € 1.188,51 | |
| A34477 | WPPS 400 | B | € 1.492,54 | |
| A34459 | WPPS 500 | B | € 1.557,04 | |
| Hot buffer tank / cold buffer tank; Type PS 100 (3 bar) | | | | |
| A34418 | PS 100 | B | € 850,25 | |
| Tank in tank system; Type SISS / 350-1500 litre (3 bar for buffer tank, 10 bar for domestic water) | | | | |
| A36425 | SISS 500/150 | C | € 2.204,59 |  |
| A36426 | SISS 750/150 | C | € 2.408,60 | |
| A36427 | SISS 900/200 | C | € 2.591,55 | |
| A36470 | SISS 1500/250 | C | € 3.551,04 | |
| Accessories for SISS | | | | |
| A90241 | RD-SIS 7,5; Electric heating element, with inactive zone, switchable 2,5kW, 5,0kW, 7,5kW | - | € 540,95 | |
| A36409 | Impressed current anode, SISS retrofitting set | - | € 435,65 | |

| Combined stratified tank; Type KWS / 500-1500 litre (4 bar for the buffer tank, 6 bar for domestic water) | | | | |
|--|-------------------------------------|--|---|------------|
| A36739 | KWS 500 W (without heat exchanger) | | C | € 2.838,99 |
| A36740 | KWS 800 W (without heat exchanger) | | C | € 3.093,01 |
| A36741 | KWS 1000 W (without heat exchanger) | | C | € 3.702,40 |
| A36742 | KWS 1500 W (without heat exchanger) | | C | € 4.302,58 |
| A36731 | KWS 500 (1 heat exchanger) | | C | € 2.508,63 |
| A36732 | KWS 800 (1 heat exchanger) | | C | € 3.177,25 |
| A36733 | KWS 1000 (1 heat exchanger) | | C | € 3.619,48 |
| A36734 | KWS 1500 (1 heat exchanger) | | C | € 4.265,72 |
| A36752 | KWS 500 R2 (2 heat exchanger) | | C | € 3.199,62 |
| A36736 | KWS 800 R2 (2 heat exchanger) | | C | € 3.801,11 |
| A36737 | KWS 1000 R2 (2 heat exchanger) | | C | € 4.260,46 |
| A36738 | KWS 1500 R2 (2 heat exchanger) | | C | € 5.455,55 |



| Built-in heating; Type R - for enamelled internal boilers | | | | |
|--|---|--|---|------------|
| A90227 | REU 18 - 2,5 | | - | € 252,71 |
| A90228 | REU 18 - 3,3 | | - | € 261,92 |
| A90229 | RDU 18 - 2,5 | | - | € 297,46 |
| A90230 | RDU 18 - 3,0 | | - | € 307,98 |
| A90231 | RDU 18 - 3,8 | | - | € 317,20 |
| A90233 | RDU 18 - 6,0 | | - | € 335,62 |
| A90234 | RDW 18 - 7,5 | | - | € 346,15 |
| A90235 | RDW 18 - 10 | | - | € 375,11 |
| A90236 | RSW 1-12 | | - | € 454,08 |
| A90237 | RSW 1-15 | | - | € 505,41 |
| A90238 | RUL 18-2/5; switchable version for direct connection | | - | € 352,73 |
| A90202 | RDW 2-9 U; switchable version for direct connection | | - | € 701,52 |
| A90204 | RSW 2-24 U; switchable version for contactor controller | | - | € 889,73 |
| A90205 | RSW 2-45 U; switchable version for contactor controller | | - | € 1.209,56 |



| Buil in heating; Type EBH (with flange; Incoloy/chrome - nickel - steel) | | | | |
|---|---|--|---|------------|
| A90248 | EBH 1,7 E | | - | € 310,62 |
| A90249 | EBH 2,5 E | | - | € 319,83 |
| A90261 | EBH-KDW1 4kW / U | | - | € 348,79 |
| A90262 | EBH-KDW1 6kW / U | | - | € 435,65 |
| A90263 | EBH-KDW1 8kW / U | | - | € 460,66 |
| A90264 | EBH-KDW1 10kW / U | | - | € 489,62 |
| A90270 | EBH-RDUZ 2/6; single-circuit or twin-circuit versions | | - | € 1.012,14 |



| Screw in heater; Type SH; with R 6/4" screw head and direct control - for enamelled internal boilers | | | | |
|---|--------|--|---|----------|
| A90722 | SH 2,0 | | - | € 255,34 |
| A90723 | SH 2,5 | | - | € 259,29 |
| A90724 | SH 3,0 | | - | € 264,55 |
| A90725 | SH 3,8 | | - | € 276,40 |
| A90726 | SH 4,5 | | - | € 280,35 |
| A90727 | SH 6,0 | | - | € 290,87 |
| A90728 | SH 7,5 | | - | € 326,41 |
| A90729 | SH 9,0 | | - | € 330,36 |



| Fitted finned tube heat exchanger (for Vacutherm multi-purpose floor standing tanks - for enamelled internal boilers) | | | | |
|--|---------------|--|---|------------|
| A90610 | RWT 1 - 110D | Version with immersion sleeve - for HT 200-300 | - | € 742,32 |
| A90613 | RWT 1 - 140D | Version with immersion sleeve - for HT 200-300 | - | € 779,18 |
| A90503 | RWT 2 - 180 | HT 300 - 500, FFM + FRM + FRMR 800/1000 | - | € 839,72 |
| A90615 | RWT 2 - 230 D | HT 300 - 500, FFM + FRM + FRMR 800/1000 | - | € 996,34 |
| A90505 | RWT 2 - 360 | HT 500, FFM+FRM+FRMR 800/1000 | - | € 1.421,47 |
| A90616 | RWT 2 - 310 D | HT 500, FFM+FRM+FRMR 800/1000 | - | € 1.259,58 |
| A90506 | RWT 2 - 450 | FFM+FRM+FRMR 800/1000 | - | € 1.726,82 |



| Accessories for RWT | | | | |
|----------------------------|------------------------------------|--|---|---------|
| A39403 | Insulating connector R1" for RWT | | - | € 72,39 |
| A39404 | Insulating connector R3/4" for RWT | | - | € 71,07 |